

Medline Search

Date: 03/19/2003

Search Terms:

"functional light transmission"

functional light transmission oxygen

functional light transmission oxyhemoglobin

functional light transmission oximeter

functional light transmission oximetry

extinction coefficient oximeter

extinction coefficient oxyhemoglobin

extinction coefficient oximetry

extinction coefficient integration

extinction coefficient integrated

extinction coefficient integrate

Google Search

Date:03/19/2003

Search terms:

"functional light transmission"

extinction coefficient oxyhemoglobin temperature

extinction coefficient oxyhemoglobin integration

extinction coefficient oxyhemoglobin integrated

extinction coefficient oxyhemoglobin integrate

updated search  
11/22/2004  
my |

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	318	(600/309-500.ccls. 356/39-42.ccls.) and ((person patient subject) with (specific particular personal) with (correlation correlat\$3 calibration calibrat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 09:59
L2	176	(600/309-500.ccls. 356/39-42.ccls. \$hemoglobin ((saturated (blood with (content level)) saturation) with oxygen) oximet\$) and ((no absent without lack\$3 minus miss\$3 exclud\$3 omit omitt\$3) adj\$3 (finger tissue sample) with (model equation relation correlation correlat\$3 calibration calibrat\$3 Beer Lambert))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:12
L4	318	((600/309-500.ccls. 356/39-42.ccls. ) and ((person patient subject) with (specific particular personal) with (correlation correlat\$3 calibration calibrat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:19
L5	117	((("600"/\$.ccls. 356/39-42.ccls. \$hemoglobin hematocrit ((saturated (blood with (content level)) saturation) with oxygen) (blood with (constituent component analyte glucose)) oximet\$) and ((person patient subject) with (specific particular personal) with (correction correct\$3 account\$3 adjustment adjust\$3 modification modify\$3 modifi\$3) with (model equation relation correlation correlat\$3 calibration calibrat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:21
L6	41	((("600"/\$.ccls. 356/39-42.ccls.) and (\$hemoglobin ((saturated (blood with (content level)) saturation) with oxygen) oximet\$3) and (((person patient subject) with (specific particular personal)) same ((correction correct\$3 account\$3 adjustment adjust\$3 modification modify\$3 modifi\$3) with (model equation relation correlation correlat\$3 calibration calibrat\$3 Beer Lambert))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:25

L7	80	((("600"/\$.ccls. 356/39-42.ccls.) and (\$hemoglobin ((saturated (blood with (content level)) saturation) with oxygen) oximet\$3) and (((person patient subject) with (specific particular personal)) same (correction correct\$3 account\$3 adjustment adjust\$3 modification modify\$3 modifi\$3) same (model equation relation correlation correlat\$3 calibration calibrat\$3 Beer Lambert))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:27
L8	178	(600/309-500.ccls. 356/39-42.ccls.) and (((without "no") adj5 (finger appendage digit arm forearm tissue sample skin finger digit)) same (correlation correlat\$3 calibration calibrat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:28
L9	57	600/331.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:29
L10	132	(600/309-344.ccls. 356/39-42.ccls.) and (((probe sensor) with (memory EEPROM chip micro\$chip stor\$3)) same (model equation relation correlation correlat\$3 calibration calibrat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:30
L11	326	(600/309-500.ccls. 356/39-42.ccls.) and (((no absent without lack\$3 minus miss\$3 exclud\$3 omit omitt\$3) adj5 (finger appendage digit arm forearm tissue sample skin finger digit)) same (model equation relation correlation correlat\$3 calibration calibrat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 10:31